

Atlantis

ATLANTIS FLUSH KITS

FOUR STROKE

INTAKE SYSTEMS

ENGINE/GASKETS

EXHAUST

DRIVE LINE HANDLING

ELECTRICAL

WATERLINE /BILGE

STEERING & CONTROLS

BODY

ACCESSORIES

SERVICE TOOLS /HARDWARE

CHEMICAL



Sea-Doo Part No. **A7000**
89-92 Fits All



Sea-Doo Part No. **A7001**
92-98 Fits All with Factory T Fitting



Sea-Doo Part No. **A7004**
96-2010 Rear Drain Quick Snap Type
Factory Pipe Model & Reverse Gear. 95-97 Single Engine Jet Boats.



Sea-Doo Part No. **A7006**
96-2010 All with Rear Economy Type
Factory Drain and Reverse Gear

Quick Snap Type



Sea-Doo Part No. **A7003**
96-2010 Quick Snap Type
Fits All with Rear Factory Drain Pipe and No Reverse Gear



Sea-Doo Part No. **A7005**
96-97 All Dual Jet Boats



Kawasaki Part No. **A2520**
89-91 Jet Ski, Ultra 150



Kawasaki Part No. **A2521**
92-06 Jet Ski Except ZXI/STX/Ultra 150



Kawasaki Part No. **A2058**
78-88 400/440/550 Adapter Only for Replacement



Kawasaki Part No. **A2522**
95-04 ZXI, STX, Ultra 130



Kawasaki Part No. **A7005**
2011-13 Ultra 300 X, LX. One Plug for Drain Flush another for Intercooler.



Kawasaki Part No. **A2628**
03-10 4-Stroke The Ultra LX & the STX-15F flush fitting is located inside of the hood. A2628 Flush Kit provides a locking quick disconnect valve which can be installed and left on for continued use with the female locking quick disconnect fitting.



Yamaha Part No. **A8582**
95-10 Factory Replacement GP760/1100/1200, Jet Boat & 4 Stroke (FX,VX,FZ)



Yamaha Part No. **A8588**
87-98 Long Yamaha All Non-Factory Installed Flush Kits (Except 760/800/1200)



Yamaha Part No. **A8589**
87-98 Long Yamaha All Non-Factory Installed Flush Kits (Except 760/800/1200) Quick Snap Type



Yamaha Part No. **A8584**
Wave Raider

FOUR
STROKEINTAKE
SYSTEMSENGINE/
GASKETS

EXHAUST

DRIVE LINE
HANDLING

ELECTRICAL

WATERLINE
/BLIGESTEERING
& CONTROLS

BODY

ACCESSORIES

SERVICE TOOLS
/HARDWARE

CHEMICAL



Polaris Part No. **A6000**
90-04
(Except Direct Injection)



Polaris Part No. **A6001**
01-04
Direct Injection



Honda Part No. **A5201**
08-10 F-15X/15
GPScape



Universal Part No. **A2690**
A. Male Quick Snap Adapter Only for Replacement
B. Universal 3/8" **A2505**



ATLANTIS BACK FLUSH KIT

This product is in popular demand for those who typically run their watercraft in shallow surf and sediment rich waters. Back flushing pushes the sand down

and out through the pump utilizing the flow of water and gravity.

Description	Part No.
Single Back Flush Kit	A2691
Dual Back Flush Kit	A2692




SALT AWAY ENGINE FLUSH MIXER

Description	Part No.
Salt Away Mixer Only	SX-M

BLOWSION



A.



B.

BLOWSION ENGINE FLUSH KITS

A must for salt water riders! All metal construction - easy to use - just push into aftermarket water bypass. No tools, clamps or extra hoses necessary. Back flushes entire cooling system instead of forcing salt and sand into cooling jackets. Simple and effective.

Description	Part No.
A. Blowsion Single Flush Kit	06-04-001
B. Blowsion Triple Flush Kit	06-04-002




FLUSH KIT ADAPTER

Flush Kit Adapter for adapting overseas special size hose to connect flush kit. This adapter is a direct to fit to the rear drain line on Sea-Doo and Kawasaki 4 stroke watercraft.

Description	Part No.
Flush Kit Adapter	SC-2905

Fits the rear drain on Sea-Doo and Kawasaki 4 stroke engines.



SNAP CONNECT AND FLOW CONTROL

This flush kit includes adapter SC-2905 listed to the left and also includes a quick disconnect that features a on/off water valve to make flushing the watercraft a simple and easy process.

*The adapter is a direct to fit to the rear drain line on Sea-Doo and Kawasaki 4 stroke watercraft.

Connects to your waterhose

ON & OFF Water Lever



GARDEN HOSE ADAPTER & CAP


Description	Part No.
Plastic Garden Hose Adpt Cap	64-0029




Description	Part No.
Brass Garden Hose Adapter with 3/8 Hose Barb	64-0012

QUICK CONNECT

The ultimate in waterline connections, the fittings are fool proof. These fittings are safe for high temperatures and high pressure.




Description	Part No.
Female Fitting	
A. 1/4" Pipe Thread	64-0100
B. 3/8" In Line	64-0103
C. 3/8" Panel Mount	64-0106



Description	Part No.
Male (Barbed) Fitting	
3/8" With shut off	64-0107
3/8" Without shut off	64-0109



Description	Part No.
A. 1/2" Female in line	64-0117
B. 1/2" Male in line	64-0115



Description	Part No.
A. 1/8" Male NPT Pipe Threaded Junction	64-0011
B. 1/8" Male NPT to 1/4" Female NPT Adapter	64-0013
C. 9mm Yamaha Flush Adapter	64-0004



WATER STRAINER

The Water Strainer is a must to trap all sand, shell, and vegetation particles. **No more clogged water lines!!**
Height=2" (51mm)
Footprint= 2-1/2" (64mm) - Round

Description	Part No.
3/4" Water Line Strainer for Sea-Doo 4-Stroke	56-9004
1/2" Water Line Strainer	56-9005
3/8" Water Line Strainer	56-9006
#20 Mesh Replacement	20420020
#40 Mesh Replacement (#40 Mesh is finer than #20 Mesh)	20420040



JET WORKS QUICK DISCONNECT WATER RESTRICTOR

QD-38 comes with 4/3/2mm restrictor inserts used for controlling water flow through exit passes, stinger, head pipes, etc. QD-14 is for use with Mikuni Jets (not included), and allows quick change in small increments of water flow.


Description	Part No.
A. Quick Disconnect Wtr Restrictor 1/4"	QD-14
B. Quick Disconnect Wtr Restrictor 3/8"	QD-38



JET WORKS ADJUSTABLE WATER RESTRICTOR

Allows user to adjust flow on any 3/8" ID waterline. A great product for fine tuning engine/exhaust temperature for maximum power.

Description	Part No.
Adjustable Water Restrictor	JWR-01



FACTORY PIPE CHAMBER WATERLINE FILTER

Description	Part No.
Waterline Inline Filter	COMFTG0036



RIVA RACING ALUMINUM THRU HULL CONNECTORS

RIVA Racing's aluminum thru hull fittings are anodized to prevent corrosion. Available in 3/8" and 1/2" waterline applications.

Description	Part No.
F. 3/8" Thru Hull Connector	RY1013-TH-3/8
G. 1/2" Thru Hull Connector	RY1013-TH-1/2



GP1300R 1/2" X 1/2" BULKHEAD FITTINGS

The R&D Billet Aluminum Fitting allows for easy installation for extra cooling lines through the bulk head.

Description	Part No.
1/2" x 1/2" Bulkhead Fittings	660-00012

NEW



JETWORKS RESTRICTOR

Includes 3 different sizes of restrictor inserts which allow you to adjust water flow.

Description	Part No.
Jetworks Restrictor	JW-WRK



HOT PRODUCTS 90 DEGREE BYPASS FITTING

Hose	Color	Part No.
3/8" ID	Silver	56-2010
3/8" ID	Black	56-2012
3/8" ID	Blue	56-2014
3/8" ID	Red	56-2016

Hose	Color	Part No.
1/2" ID	Silver	56-3010
1/2" ID	Black	56-3012
1/2" ID	Blue	56-3014
1/2" ID	Red	56-3016

ID = Inner Diameter



HOT PRODUCTS 45 DEGREE BYPASS FITTING

Hose	Color	Part No.
3/8" ID	Silver	56-2020
3/8" ID	Black	56-2022
3/8" ID	Blue	56-2024
3/8" ID	Red	56-2026

Hose	Color	Part No.
1/2" ID	Silver	56-3020
1/2" ID	Black	56-3022
1/2" ID	Blue	56-3024
1/2" ID	Red	56-3026


ID = Inner Diameter



STAINLESS STEEL HOSE CLAMPS

Hose clamps are sold individually. Discounted pricing available when 10 or more per size.

Description	Part No.
#5 Clamps (for 3/8" waterline)	WF62M05
#6 Clamps (for 1/2" waterline)	WF62606



RRP WATER FITTINGS

These specially developed RRP Water Fittings are manufactured from Black Delron. The fittings are the lightest available, and being made of Delron they will not fuse together like other aluminum fittings available.

Description	Part No.
A. 45° Bypass Fitting 3/8"	PL-3/8-OUT
B. 45° Bypass Fitting 1/2"	PL-1/2-OUT
C. 45° Bilge Fitting 3/4"	PL-45-BILGE




WATER LINE HOSE

Flex-Tech multi purpose hose is more flexible and bendable for those complicated water routing requirements. This waterline is highly recommended for Factory Dry Pipe installations. Waterline is sold per foot.

Description	Part No.
3/8" ID 300psi WP	56-8010

Fast, Easy, Strong and Secure Installation



SQUEEZE ON STAINLESS STEEL LOW PROFILE CLAMPS

Oetiker Stepless Ear Clamps, due to the reinforcing 'dimple' in the ear, hold against pressure and vibration or hose shrinkage due to temperature changes. A built-in spring action permits the clamp to "breathe" without loosening, the need to retighten is eliminated. Once installed, any tampering is easily visible, making this an excellent clamp for service or security applications.

Description	Clamp Size	Part No.
Pincer Tool	--	12-0024
Clamp for 1/4" Hose (10 pcs/pk)	--	59-4014
Clamp for 1/4" Fuel Injection Hose (10 pcs/pk)	9/16	59-4016
Clamp for 3/8" Water Line (10 pcs/pk)	11/16	59-4017
Clamp for 1/2" Water Line (10 pcs/pk)	13/16	59-4018

100 Clamp Packs	Clamp Size	Part No.
Clamp for 1/4" Fuel Line Hose (100 pcs/pk)	--	59-4014-100
Clamp for 1/4" Fuel Injection Hose (100 pcs/pk)	9/16	59-4016-100
Clamp for 3/8" Water Line (100 pcs/pk)	11/16	59-4017-100
Clamp for 1/2" Water Line (100 pcs/pk)	13/16	59-4018-100



WATER LINE HOSE

Description	Part No.
3/8" ID Blue 300psi WP (Eaton Synflex)	56-8000
1/2" ID Blue 250psi WP (Goodyear Pliovic Plus)	56-8004
3/8" Clear Vinyl	56-8007
3/8" ID Blue NEW	56-8012-25
(Venair Technosil) Silicone Tubing (Sold in 25' lengths)	

500 foot reel 3/8" blue hose available and 400 foot reel 1/2" blue hose available
Call for special pricing on reel purchases.

FOUR STROKE
INTAKE SYSTEMS
ENGINE/GASKETS
EXHAUST
DRIVE LINE HANDLING
ELECTRICAL WATERLINE /BILGE
STEERING & CONTROLS
BODY
ACCESSORIES SERVICE TOOLS /HARDWARE
CHEMICAL

rule®

RULE BILGE PUMP



A. 500 GPH



B. 800 GPH



Description	Hose	Height	Part No.
1100 GPH	1-1/8"	4-1/4" (108mm)	27D

Description	Hose	Height	Part No.
A. 500 GPH	3/4"	3-1/2" (89mm)	25D
B. 800 GPH	3/4"	3-3/4" (96mm)	20R



PWC AUTOMATIC 500 GPH PUMP


Automatically removes water from engine compartment. Cycles every 20 seconds to check for water. Equipped with gasoline resistant strainer base and 72" wire leads.

Description	Height	Part No.
500 GPH	4" (102mm)	25S-6WC



RULE STRAINER BASE & S/S DEBRIS STRAINER

Description	Part No.
C. Blue Plastic Strainer Base	RULE275
C. Gas Resistant Strainer Base	RULE276
D. Stainless Steel Debris Strainer	RULE70



PLASTIC BILGE HOSE

Description	Length	Part No.
E. 3/4" Hose	12"	57-4008
F. 3/4" Hose	12"	57-4008-BLK
G. 1-1/8" Hose	12"	57-4009



ATTWOOD SAHARA AUTOMATIC BILGE PUMP

ALL-IN-ONE-PUMP

- Fast, Easy Installation
- High-Efficiency Motor
- Dependable Internal Float Switch (contains no mercury)

Description	Hose	Height	Part No.
500 GPH	3/4"	4" (102mm)	4505-7
750 GPH	3/4"	4" (102mm)	4507-7
1100 GPH	1-1/8"	4" (102mm)	4511-7




STRAIGHT BILGE FITTING

Aluminum through hull outlet fittings.

Bilge Fitting	Color	Part No.
G. 3/4" Straight	Silver	57-4012
H. 3/4" Straight	Black	57-4015
I. 3/4" Straight	Blue	57-4016
J. 3/4" Straight	Red	57-4017

Bilge Fitting	Color	Part No.
K. 1 1/8" Straight	Silver	57-4018
L. 1 1/8" Straight	Black	57-4020
M. 1 1/8" Straight	Blue	57-4027
N. 1 1/8" Straight	Red	57-4028




45 DEGREE BILGE FITTING

Aluminum through hull outlet fittings.

Description	Color	Part No.
O. 3/4"	Silver	57-4021
P. 3/4"	Black	57-4023

BILGE PUMP MOUNTING BRACKETS



Yamaha	Part No.
A. WaveBlaster/701 Super Jet 95+	57-3029
Kawasaki	Part No.
B. 440/550	57-3023
C. 650SX/X2, 550SX, 750SX, SXI	57-3024
D. 750SS/XI/ST/STS	57-3025



DUAL BILGE PUMP MOUNTING BRACKET




SX-R 800 RULE BILGE PUMP MOUNTING BRACKET

The R&D Bilge Pump Mount Bracket bolts securely to the hull developing a secure surface to hold the Bilge pump in place.

Description	Part No.
Kawasaki 800SX-R	06-01-101
Superjet 96+	06-01-153

Kawasaki	Part No.
800SX-R	660-80000



SE BILGE PUMP BRACKET

Polaris	Part No.
E. Polaris -98	SE-044011



BILGE ELECTRICAL PARTS KIT

Kit contains waterproof fuse holder, 6amp fuse, ring terminal shrink tubing.

Description	Part No.
Bilge Electrical Parts Kit	57-3030



JAPANESE OEM STYLE CONNECTOR

Description	Part No.
OEM Style Electric Connector Kit 5pcs/pk	55-2035
Dealer Kit 20pcs/pk	55-2037



ADHESIVE LINED HEAT SHRINK BUTT CONNECTORS

Best used where moisture and corrosion is a problem. After crimping these terminals to wire, heat is applied enabling the adhesive within each shrunk tube terminal to melt and flow evenly to seal the connection against the harshest environment.

Description	Wire Range	Part No.
10pcs/pk Pink	22-18 (0.3-0.8mm)	55-2040
100pcs/pk Pink	22-18 (0.3-0.8mm)	55-2041
10pcs/pk Blue	16-14 (1-2mm)	55-2042
100pcs/pk Blue	16-14 (1-2mm)	55-2043



MALE/FEMALE TERMINAL KIT

This kit includes 30 of both the male and female terminals and plastic sleeves/covers. The terminals are tin plated to prevent corrosion. The terminal kit is provided in a handy plastic case.

Description	Part No.
Male/Female Terminal Kit	16-601

FOUR STROKE	INTAKE SYSTEMS	ENGINE/GASKETS	EXHAUST	DRIVE LINE HANDLING	ELECTRICAL	WATERLINE /BILGE	STEERING & CONTROLS	BODY	ACCESSORIES	SERVICE TOOLS /HARDWARE	CHEMICAL
-------------	----------------	----------------	---------	---------------------	------------	------------------	---------------------	------	-------------	-------------------------	----------

WATERPROOF SWITCHES AND BRACKETS

- Features waterproof on/off switch that is available with machined aluminum clamp-on or switch mounted bracket. Allows totally reliable and easy control of bilge pump operation.
- Mounting bracket is machined from billet alloy and is anodized black to prevent corrosion. Available for clamp-on bar mounting or bolts to the bottom of the OEM on/off switch assembly.
- All of the switches have a 9 ft. high grade wire lead.



Yamaha Part No. 57-3017
All



UNIVERSAL

Description Part No.
Universal Handle Bar Mount 57-3006



Kawasaki Part No. 57-3015
All 650's / 750SS-95 / XI-93




Kawasaki Part No. 57-3003
440 / 550 / 750SX
750SXI / 800SX-R



Description Part No.
Standard Switch with 9 feet of wire (No bracket included) 57-3009

Hot Products PWC Waterproof Switches Imported Exclusively from



JP7043/JP7044 can be installed with Hot Products Throttle Lever 58-0970 & 58-0971 as pictured above.




HOT PRODUCTS EXCLUSIVE

3-POSITION PANEL MOUNT ROTARY SWITCHES

Connects to two electronic accessories for power control. Allows the operation of one device or accessory to run at a time. Suggested uses: Second Bilge, Ignition, etc. 12Volt/5Amp.



Left Hand On Position
Use: Blue & Red Wires



Center Off Position



Right Hand On Position
Use: White & Red Wires



JP7043



JP7044

UNIVERSAL HANDLEBAR MOUNT SWITCHES

Mounts to handlebar or mounts to underside of most aftermarket throttle levers. Complete with 9" wire lead.

Description	Part No.	Description	Part No.
Handlebar Mount Switch 12Volt/6Amp push on/off switch	JP7043	Handlebar Mount Switch 12Volt/5Amp 3 way rotary switch	JP7044

Description	Part No.
Panel Mount Switch	57-3020



BLOWSION CAS BILLET ALUMINUM ONE WAY VALVE SCUPPER

The new CAS flow valve design prevents water getting in during tail stands, wave jumping, or all out buoy shredding. The new billet flange assembly is the premium design setup and allows use of the Blowsion billet exhaust outlet so vain riders can sanitize both sides of the rear of their watercraft. The aluminum, rubber, and injection molded construction of the Blowsion one-way valve assembly along w/ the recessed internal mounting results in a bulletproof set-up. **Fits all years Super Jet, Kawasaki 650, 750, 800 SXR and Polaris Octane.** Each pre-assembled kit includes explicitly detailed instructions, two Blowsion molded glue able urethane bulkhead and ski flanges for leak less sealing, recessed one-way flow valve, special flex tubing (allows for off center mounting unlike straight PVC tube scupper systems) mounting epoxy and stainless fasteners.

Description	Part No.
Blowsion CAS Aluminum One Way Valve Scupper	06-01-022



BLOWSION ONE WAY VALVE

Unlike scupper valves that mount on the exposed exterior

of your ski, Blowsion one way valve kits install "into" the rear 1/4 of your PWC end caps. This keeps continual water pressure on the inside of the tube, keeping the valve shut when the ski is floating.

Description	Part No.
Pro Finish Kit	06-01-028



RICK ROY PRODUCTS SCUPPER VALVE

Description	Part No.
RRP Scupper Valve	RRP-SCU-V



BILGE SPONGE

This Viscose-Covered sponge will pick up and hold an amazing 32 ounces (512gm) of water without leaking. With grommet and hand cord.

Description	Part No.
Bilge Sponge	57-4070



DUCK BILL DRAIN ADAPTER PLUG

Unscrew stock drain plug and screw our duck bill drain plugs in place. Keep your stock plug if you ever need to change!

Description	Part No.
D. Kawasaki	Z471
E. Yamaha	Z472



BILLET QUICK DRAIN FOR KAWASAKI

Mounts to the transom of your Kawasaki 1200 STX-R or SX-R 800 watercraft with billet aluminum mounting plate.


Kawasaki	Part No.
1200 STX-R, 800 SX-R	57-4065



UNIVERSAL BILLET QUICK DRAIN

Mounts to the transom of any watercraft with billet aluminum mounting plate.

Description	Part No.
Billet Quick Drain Kit	57-4059



DUCK BILL DRAIN SYSTEM

Simple and clean, drains water from hull under acceleration.

A. Add to your current drain plug or B. Purchase entire system kit.

Description	Part No.
A. All Sea-Doo (Except XP) All Sit down Yamaha / Kawasaki*	57-4050
B. Universal (Complete System)	57-4060
C. Drain Plug Only	A2265
Sea-Doo (95 and newer), Polaris, and Honda Duck Bill Flapper only	57-4055


*Kawasaki models require slight modification

FOUR STROKE	INTAKE SYSTEMS	ENGINE/GASKETS	EXHAUST	DRIVE LINE HANDLING	ELECTRICAL	WATERLINE /BILGE	STEERING & CONTROLS	BODY	ACCESSORIES	SERVICE TOOLS /HARDWARE	CHEMICAL
-------------	----------------	----------------	---------	---------------------	------------	------------------	---------------------	------	-------------	-------------------------	----------



"THE ORIGINAL"
VERSIPLUG
DRAIN SYSTEM

Versiplug (The original) fits Yamaha, Kawasaki, Sea-Doo, Honda, Polaris and Hydrospace.



"THE ORIGINAL"
VERSIPLUG-R
DRAIN SYSTEM

Versiplug-R - Developed for the serious PWC enthusiast and racers. Higher flowing and lighter weight than the original Versiplug



Description	Color	Part No.
Versiplug - <i>Yamaha</i>	Silver	PD1200
Versiplug - <i>Yamaha</i>	Black	PD1201



Description	Part No.
Versiplug-R - Black	PD1600



Description	Color	Part No.
Versiplug - <i>Kawasaki</i>	Silver	PD1300
Versiplug - <i>Kawasaki</i>	Black	PD1301

"THE ORIGINAL"
VERSIPLUG-MAX!
DRAIN SYSTEM

Versiplug Max - The rugged solution for leaky flap scuppers. Created for freestyle to create a reliable fix to scupper setups that had leaking issues when not moving.



Description	Color	Part No.
Versiplug - <i>Sea-Doo/Honda/Polaris</i>	Silver	PD1400
Versiplug - <i>Sea-Doo/Honda/Polaris</i>	Black	PD1401



Description	Color	Part No.
Versiplug - <i>Hydrospace</i>	Silver	PD1150
Versiplug - <i>Hydrospace</i>	Black	PD1151



Description	Color	Part No.
Versiplug Max	Black	PD1701